

Name **HEAVY DUTY DEGREASER WITH STEPOSOL® SB-D**

930 No.

Description Can be used at full strength to remove oil and dirt from many surfaces.

Formulation **INGREDIENTS:** % by Weight

> STEPOSOL® SB-D 20.0 NINOL® 11-CM 20.0 MAKON® 8 10.0 **BIO-TERGE® PAS-8S** 10.0 Deionized Water q.s. to 100

> **Total** 100.0

Combine first three ingredients and mix until clear. Add Deionized Water and BIO-TERGE® PAS-8S Procedure

to mixture at the same time. Mix until clear.

Physical Appearance at 25°C Clear, yellow liquid

Properties pH at 25°C, as is 9.0 - 10.5 Viscosity at 25°C, cps 2000 - 3000

> Density, lbs/gal 8.23 Solids, % 52 - 54

Flash Point, (PMCC), °F >201

Storage/ 1 Month at 4°C Stable Stability 1 Month at 25°C Stable

1 Month at 50°C Stable Freeze/Thaw, 10 Cycles **Pass**

Instructions for Use

Assistance

Spray onto surface and let stand for several seconds. Wipe away with cloth. No water needed.

Registered **BIO-TERGE® Trademarks MAKON®** of Stepan **NINOL®**

Company **STEPOSOL®**

For applications or product handling assistance, call our Technical Service Department at 1-800-745-7837 (U.S.) or For 011-334-76-505-100 (Europe). Additional

For ordering assistance, call our Account Service Department at 1-800-457-7673.

Nothing contained herein grants or extends a license, express or implied, in connection with patents, issued or pending, of the manufacturer or others. The information contained herein is based on the manufacturer's own study and the works of others. The manufacturer makes no warranties, expressed or implied, as to the accuracy, completeness, or adequacy of the information contained herein. The manufacturer shall not be liable (regardless of fault) to the vendee's employees, or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnishing of such



Stepan Company Northfield, Illinois 60093 Telephone (847) 446-7500

Revision Date: 04/24/2007 Origination Date: © 2007, Stepan Company. All rights reserved.