



Properties

Stepan Company's Ethylene Oxide/Propylene Oxide (EO/PO) Block Copolymers are generated utilizing a variety of hydrophobe bases and across a range of HLB values. Our EO/PO product portfolio can be used as dispersants, emulsifiers and wetting agents in multiple water- and solvent-based formulation types.

| Trade Name | CAS No. (Alt. CAS No.) | Base | HLB | Avg Molecular Weight | Surface Tension, 0.1% aqueous, dynes/cm | Cloud Point, 1% aqueous, °C | Pour Point, °C |
|---------------------------------|-----------------------------|------------------|-----|-------------------------|---|--------------------------------|-------------------|
| STEP-FLOW® 26 | 9003-11-6 | PPG/PEG | 13 | 5,900 | 34.5 | 82 | 32 |
| STEP-FLOW 26 F | 9003-11-6 | PPG/PEG | 13 | 7,900 | 35.0 | 82 | 7 |
| STEP-FLOW 26-18 ¹ | 9003-11-6 | PPG/PEG | 13 | 5,900 | 34.9 | -8.6 | <-40 |
| STEP-FLOW 27 ² | 9003-11-6 | PPG/PEG | >13 | 12,000 | 39.6 | >100 | 46 |
| STEP-FLOW LF-ULTRA ² | 9003-11-6 | PPG/PEG | 3 | 2,000 | Pending | 23 | -39 |
| TOXIMUL® 8321 | 9003-11-6 | PPG/PEG | 7 | -3,650 | 34.5 | 28 | -3 |
| TOXIMUL 8322 ² | 9003-11-6 | PPG/PEG | 15 | 6,500 | 35.1 | 63 | 35 |
| TOXIMUL 8323 | 9003-11-6 | PPG/PEG | 17 | 3,800 | 36.5 | 82 | 27 |
| TOXIMUL 8323/33 | 9003-11-6 | PPG/PEG | 17 | 3,800 | 36.5 | 84 | -6 |
| TOXIMUL L62 ² | 9003-11-6 | PPG/PEG | 7 | 2,500 | 42.3 | 24 | -3 |
| TOXIMUL L64 ² | 9003-11-6 | PPG/PEG | 15 | 2,900 | 41.5 | 60 | 18 |
| TOXIMUL 8325 | 9038-95-3 | Butyl | 11 | 4,000 | 38.2 | 20 | 26 |
| TOXIMUL 8320 | 9038-95-3 | Butyl | 12 | 5,500 | 45.0 | 48 | 21 |
| TOXIMUL 8315 | 9038-95-3 | Butyl | 15 | 3,500 | 39.7 | 71 | 3 |
| TOXIMUL 8350 ² | 9038-95-3 | Butyl | 14 | 6,200 | 34.7 | 71 | 21 |
| MAKON® NF-5 | 64175-88-8 (64175-92-4) | Isopropanolamide | 5 | 1,000 | 36.4 ³ | -1 | 4 |
| NIPOL® 2782 | 37251-69-7 | Nonylphenol | 13 | 2,700 | 35.2 | 82 | 27 |
| STEP-FLOW 1500 | 132580-45-1 (70880-56-7) | Tristyrylphenol | 13 | 1,510 | 43.6 | 61 | 4 |

¹ European product only.

² For commercial status of this product, please contact your Stepan Sales Representative.

³ Measure at 0.25% aqueous.

Formulation Types

| Trade Name | CAS No. (Alt. CAS No.) | HLB | EC | ME | sc | SE | WG | WP | OD | OW |
|--------------------|-----------------------------|-----|------|-----|----|----|--------|----|----|----|
| STEP-FLOW 26 | 9003-11-6 | 13 | • | • | • | • | • | • | | |
| STEP-FLOW 26 F | 9003-11-6 | 13 | • | • | • | • | | | | |
| STEP-FLOW 26-18 | 9003-11-6 | 13 | • | • | • | • | • | • | | |
| STEP-FLOW 27 | 9003-11-6 | >13 | | • | • | • | • | • | | |
| STEP-FLOW LF-ULTRA | 9003-11-6 | 3 | 80 % | | • | • | | | | |
| TOXIMUL8321 | 9003-11-6 | 37 | | 300 | | | | | | |
| TOXIMUL 8322 | 9003-11-6 | 15 | O | 100 | | | | | | |
| TOXIMUL 8323 | 9003-11-6 | 17 | - | | | • | S SAME | - | | |
| TOXIMUL 8323/33 | 9003-11-6 | 17 | | 500 | | | | | | |
| TOXIMUL L62 | 9003-11-6 | 7 | • | | • | | | | | • |
| TOXIMUL L64 | 9003-11-6 | 15 | • | N0 | • | • | 1 | | | |
| TOXIMUL 8325 | 9038-95-3 | 11 | • | • | | • | 9 | | • | |
| TOXIMUL 8320 | 9038-95-3 | 12 | • | | • | | | | • | |
| TOXIMUL 8315 | 9038-95-3 | 15 | • | • | • | • | 9 | | | |
| TOXIMUL 8350 | 9038-95-3 | 14 | • | • | • | • | | | • | |
| MAKON NF-5 | 64175-88-8 (64175-92-4) | 5 | • | • | • | • | | | | |
| NIPOL 2782 | 37251-69-7 | 13 | • | • | • | • | | | | |
| STEP-FLOW 1500 | 132580-45-1 (70880-56-7) | 13 | • | • | • | • | | | | |

Formulation Examples

| Tebuconazole 240 g/L (2E) Emulsifiable Concentrate | | | | |
|---|--------------|--|--|--|
| Component | Amount (wt%) | | | |
| Tebuconazole Technical | 25.99 | | | |
| HALLCOMID® M-12-14 | 64.01 | | | |
| TOXIMUL 8320 | 2.00 | | | |
| TOXIMUL 8323 | 2.00 | | | |
| MAKONTSP-16 | 4.00 | | | |
| NINEX® MT-630F | 2.00 | | | |

| Tebuconazole 480 g/L Suspension Concentrate | | | | |
|---|--------------|--|--|--|
| Component | Amount (wt%) | | | |
| Tebuconazole Technical | 39.30 | | | |
| STEP-FLOW 4000 | 2.00 | | | |
| TOXIMUL 8320 | 2.20 | | | |
| SAG TM 1572 (Momentive Performance Materials Inc.) | 0.50 | | | |
| PROXEL™ GXL (Lonza Group Ltd.) | 0.20 | | | |
| KELZAN [®] S (CP Kelco) | 0.30 | | | |
| Propylene Glycol | 5.00 | | | |
| Tap Water | 50.50 | | | |

| Trifluralin 480 g/L (4E) Emulsifiable Concentrate | | | |
|--|--|--|--|
| Amount (wt%) | | | |
| 44.60 | | | |
| 50.40 | | | |
| 1.00 | | | |
| 1.50 | | | |
| 1.25 | | | |
| 1.25 | | | |
| | | | |

| Captan Suspension Concentrate | | | | |
|----------------------------------|--------------|--|--|--|
| Component | Amount (wt%) | | | |
| Captan Technical | 41.10 | | | |
| STEP-FLOW 26F | 0.50 | | | |
| Surfactants | 3.30 | | | |
| Other Components | 55.10 | | | |

| > | Methyl Ester OD Oil Dispersion | |
|---|--------------------------------|--------------|
| | Component | Amount (wt%) |
| | STEPAN® C-65 | 90.00 |
| | TOXIMUL 8320 | 2.50 |
| | Surfactants | 7.50 |

To order a sample or contact Technical Service, visit www.stepan.com.

© Stepan Company, 2018. All Rights Reserved.

HALLCOMID®, MAKON®, NINATE®, NIPOL®, STEPAN®, STEPFLOW®, and TOXIMUL® are registered trademarks of Stepan Company.

The information contained herein is based on the manufacturer's own study and the works of others and is subject to change without prior notice. The information is not intended to be all-inclusive, including as to the manufacturer's own study and the works of others and is subject to change without prior notice. The information is not intended to be all-inclusive, including as to the manufacturer's own study and the works of other factors that may involve additional legal, environmental, safety or performance considerations. Nothing contained herein grants or extends a license, express or implied, in connection with any patents issue or shall be construed as a recommendation to infringe any patents. STEPAN COMPANY MAKES NO PRODUCT WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR USE, EXPRESS OR IMPLIED, AND EXPRESS OR IMPLIED, IN ACCURACY, SCHENESS, OR ADEQUACY, Stepan Company (and its employees, or any other party for any direct, indirect, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy, furnishing, use, or relevance assumes and releases Stepan Company (and its employees, subsidiaries and affiliates) from all liability, whether in tort, contract or otherwise to the fullest extent possible under the relevant law.