



## ECOTOXICOLOGY OF DIMETHYL AMIDES

### Applicable to these current Stepan products:

STEPOSOL® M-10 HALLCOMID® M-8-10	STEPOSOL® M-8-10	HALLCOMID® M-10
-------------------------------------	------------------	-----------------

### Toxicological Information:

<u>Test/Conditions</u>	<u>Results/Classification</u>	<u>References</u>
Acute Aquatic Toxicity (fish)(static)(96 hrs)	LC <sub>50</sub> = 19 mg/l (slightly toxic)	Stepan Study No. 93-31A
Acute Aquatic Toxicity (daphnia)(static)(48 hrs)	LC <sub>50</sub> = 7.7 mg/l (moderately toxic)	Stepan Study No. 90-021A
Acute Aquatic Toxicity (algae)(72 hrs)	ErC <sub>50</sub> = 16.1 mg/l ( slightly toxic)	Stepan Study No. 93-030A
Chronic fish toxicity (35 days)	NOEC = 0.71 mg/l	Stepan Study No. 13-014A
Chronic daphnia (21-days)	NOEC = 0.79 to 1.0 mg/l	Stepan Study No. 10-014A

### References:

STEPOSOL® ; HALLCOMID® are registered trademarks of Stepan Company.

Last Update: 12/9/2008

Revision Reference: TX057-01

Nothing contained herein grants or extends a license, express or implied, in connection with patents, issued or pending, of the manufacturer or others. The information contained herein is based on the manufacturer's own study and the works of others. The manufacturer makes no warranties, expressed or implied, as to the accuracy, completeness, or adequacy of the information contained herein. The manufacturer shall not be liable (regardless of fault) to the vendee's employees, or anyone for any direct, special or consequential damages arising out of or in

connection with the accuracy, completeness, adequacy or furnishing of such information.